Temperature Switches Models: TSW Series



Operator's Manual M1856/0494

Set Point Adjustment

All switches are easy to adjust. First, loosen the knurled locking ring. Now, set the sliding gauge pointer to the desired tempera-ture point. Tighten the locking ring and the temperature switch is locked and ready to use.

NOTE: Little effort is required to establish a reliable locked position. Using your fingers to hold the switch body in place, grip the adjusting ring with pliers to tighten or loosen as desired.



Loosen knurled ring, set pointer to desired temperature and tighten ring to hold in position.



OE OMEGA

Servicing USA and Canada: Call OMEGA Toll Free

Canada

One Omega Drive, Box 4047 Stamford, CT 06907-0047 USA Telephone: (203) 359-1660 FAX: (203) 359-7700

976 Bergar Laval (Quebec) H7L 5A1 Telephone: (514) 856-6928 FAX: (514) 856-6886 Sales Service: 1-800-826-6342 / 1-800-TC-OMEGA™ Customer Service: 1-800-622-2378 / 1-800-622-BEST™ ngineering Service: 1-800-872-9436 / 1-800-USA-WHEN TELEX: 996404 EASYLINK: 62968934 CABLE OMEGA

Servicing Europe: United Kingdom Sales and Distribution Center 25 Swannington Road, Broughton Astley, Leicestershire LE9 6TU, England Telephone: 44 (0455) 285520 FAX: 44 (0455) 283912

RETURN REQUESTS / INQUIRIES

Direct all warranty and repair requests/inquiries to the OMEGA ENGINEERING Customer Service Department. Call toll free in the USA and Canada: 1800-682-2378, FAX: 203-359-7811; International: 203-359-1606, FAX: 203-359-7801 BEFORE RETURNING ANY PRODUCTS TO OMEGA, VOU MUST OBTAIN AUTHORIZED RETURNI ARI NUMBER FROM OUR CUSTOMER SERVICE DEPARTMENT IN ORDER TO AVOID PROCESSING DELAYSI. The assigned AR number should then be marked on the outside of the return package and on any correspondency.

FOR WARRANTY RETURNS, please have the following information available BEFORE contacting OMEGA:

- 1. P.O. number under which the product was PURCHASED.
- Model and serial number of the product under warranty, and 2
 - Repair instructions and/or specific problems you are having with the product.

WARRANTY

MONEY A vermine this unit is to free of selectic in MANNAN in volumeable and to give strikectory service for a MONEY A vermine this unit is to fire of selection of the selectio

Consigned by Financian in American State of the Control of the Con

Every precaution for accuracy has been taken in the preparation of this manual; however, OMEGA ENGINEERING, INC. neither assumes responsibility for any omissions or errors that may appear nor assumes liability for any dam-ages that result from the use of the products in accordance with the information contained in the manual.

SPECIAL CONDITION: Should this equipment be used in or with any nuclear installation or activity, buyer will indem-nify OMEGA and hold OMEGA harmless from any liability or damage whatsoever arising out of the use of the equip-ment in such a manner.

OMEGA's policy is to make running changes, not model changes, whenever an improvement is possible. This affords our customers the latest in technology and engineering. OMEGA is a registered trademark of OMEGA ENGINEERING, INC.

© Copyright 1994 OMEGA ENGINEERING, INC. All rights reserved. This documentation may not be copied, photo-copied, reproduced, translated, or reduced to any electronic medium or machine-readable form, in whole or in part, without prior written consent of OMEGA ENGINEERING, INC.